

Over, D. J., Wistort*, Z., Soar, L. K., Bullocks, C. J. and Hagadorn, J. W., 2021, Conodonts and the Devonian-Carboniferous transition in the Dyer Formation, Colorado: *Rocky Mountain Geology*, v. 56, p. 51-67.

Hagadorn, J.W., Longman, M. W., Bottjer, R. J., Gent, V. A., Holm-Denoma, C. S., and Sumrall, J. B., 2021, The type section of the Codell Sandstone: *The Mountain Geologist*, v. 58, p. 211-248.

Longman, M. W., Hagadorn, J. W., and Gent, V. A., 2021, Sedimentology, petrography and deposition of the Upper Cretaceous Codell Sandstone in the Denver Basin: *The Mountain Geologist*, v. 58, p. 249-304.

Gent, V.A., Longman, M. W., Bottjer, R. J., and Hagadorn, J. W., 2021, Stratigraphic distribution of the Codell Sandstone in the Denver Basin using wireline logs and core: *The Mountain Geologist*, v. 58, p. 305-330.

Salad Hersi, O., Landing, E., Franzi, D., Hagadorn, J., 2021, Cambrian-Lower Ordovician of SW Quebec-NE New York: in Cousens, B. L., and Riggs, N., eds., *GSA in the field in 2020: Geological Society of America Field Guide 60*, p. 1-32.

Schultze, H.-P., Hagadorn, J. W., Bullocks, J., and Soar, L. K., 2021, Devonian fish from Colorado's Dyer Formation and the appearance of Carboniferous faunas in the Famennian: in Pradel, A., Denton, J. S. S., and Janvier, P., eds., *Ancient Fishes and their living relatives: A tribute to John G Maisey*, Verlag Dr. Friedrich Pfeil, Munich, p. 247-256.

Hodgin*, E. B., Nelson*, L. L., Wall, C. J., Barron-Diaz, A. J., Webb*, L. C., Schmitz, M. D., Fike, D. A., Hagadorn, J. W., Smith, E. F., 2021 A link between rift-related volcanism and end-Ediacaran extinction? Integrated chemostratigraphy, biostratigraphy, and U-Pb geochronology from Sonora, Mexico: *Geology*, v. 49, p. 115-119.

Young, G. A., and Hagadorn, J. W., 2020, Evolving preservation and facies distribution of fossil jellyfish: a slowly closing taphonomic window: *Bollettino della Societa Paleontologica Italiana*, v. 59, p. 185-203.

Shahkarami*, S., Buatoisa, L. A., Mángano, M. G., Hagadorn, J. W., and Almond, J., 2020, The Ediacaran-Cambrian boundary: Evaluating stratigraphic completeness and the Great Unconformity: *Precambrian Research*, v. 345, p. 1-26.

Karlstrom, K.E., Mohr*, M.T., Schmitz, M., Sundberg, F.A., Rowland, S., Hagadorn, J., Foster, J.R., Crossey, L.J., Dehler, C., and Blakey, R., 2020, Redefining the Tonto Group of Grand Canyon and recalibrating the Cambrian timescale: *Geology*, v. 48, p. 425-430.

Sundberg, F. A., Karlstrom, K. E., Geyer, G. Foster, J. R., Hagadorn, J. W., Mohr*, M. T., Schmitz, M. D., Dehler, C. M., and Crossey, L. J., 2020, Asynchronous trilobite extinctions at the early to middle Cambrian transition: *Geology*, v. 48, p. 441-445.

Noffke, N., Hagadorn, J., and Bartlett, S., 2019, Microbial structures and dinosaur trackways from a Cretaceous coastal environment (Dakota Group, Colorado, U.S.A.): *Journal of Sedimentary Research*, v. 89, p. 1096-1108.

Lyson, T. R., Miller, I. M., Bercovici, A. D., Weissenburger, K., Fuentes*, A. J., Clyde, W. C., Hagadorn, J. W., Butrim, M. J., Johnson, K. R., Fleming, R. F., Barclay, R. S., MacCracken, S. A, Lloyd*, B., Wilson, G. P.,

Krause, D. W., and Chester, S. G. B., 2019, Exceptional continental record of biotic recovery after the Cretaceous–Paleogene mass extinction: *Science*, v. 366, p. 977–983.

Barron-Diaz, A., Paz-Moreno, F. A., & Hagadorn, J. W. 2019. The Cerro Rajon Formation - a new lithostratigraphic unit proposed for a Cambrian (Terreneuvian) volcano-sedimentary succession from the Caborca region, northwest Mexico. *Journal of South American Earth Sciences*, 89:197-210.

Hagadorn, J. W., & Allmon, W. D. 2019. Paleobiology of a three-dimensionally preserved paropsonemid from the Devonian of New York. *Palaeogeography, Palaeoclimatology, Palaeoecology* 513:208-214.

MacGabhann, B. A., Schiffbauer, J. D., Hagadorn, J. W., Van Roy, P., Lynch, E. P., Morrison, L., & Murray, J. 2019. Resolution of the earliest metazoan record: Differential taphonomy of Ediacaran and Paleozoic fossil molds and casts. *Palaeogeography, Palaeoclimatology, Palaeoecology* 513:146-165.

MacNaughton, R. B., Hagadorn, J. W., & Dott, R. H. Jr. 2019. Cambrian wave-dominated tidal- flat deposits, central Wisconsin, USA. *Sedimentology* 66.

Marenco, K. N., & Hagadorn, J. W. 2019. Big bedding planes: Outcrop size and spatial heterogeneity influence trace fossil analyses. *Palaeogeography, Palaeoclimatology, Palaeoecology* 513:14-24.

Karlstrom, K., Hagadorn, J., Gehrels, G., Matthews, W., Schmitz, M., Madronich, L., Mulder, J., Pecha, M., Giesler, D., & Crossey, L. 2018. Cambrian Sauk transgression in the Grand Canyon region redefined by detrital zircons. *Nature Geoscience* 11:438-443.

Hagadorn, J., 2016, Mineralogical Maestro: in Nash, S. E., *Stories in Stone*, University of Colorado Press, Boulder, p. 243-262.

Hagadorn, J. W., Whiteley, K. R., Lahey, B. L. Henderson, C. M., Holm-Denoma, C. S., The Permian-Triassic transition in Colorado: in Keller, S.M., and Morgan, M.L., eds., *Unfolding the Geology of the West: Geological Society of America Field Guide* 44, p. 73–92.

Kosman, C. W., Kopylova, M. G., Stern, R. A., Hagadorn, J. W., Hurlbut, J. F.,

2016, Cretaceous mantle of the Congo craton: Evidence from mineral and fluid inclusions in Kasai alluvial diamonds: *Lithos*, v. 265, p. 42-56.

Raynolds, R. G., and Hagadorn, J. W., 2016, The Colorado stratigraphy chart: Colorado Geological Survey, Map Series 53, 1 p.

Som, S. M., Buick, R., Hagadorn, J. W., Blake, T. S., Perreault, J. M. Harnmeijer, J. P., and Catling, D. C., 2016, Earth's air pressure 2.7 billion years ago constrained to less than half modern levels: *Nature Geoscience*, v. 9, p. 448-451.

Loyd, S.J., Corsetti, F.A., Shen, Y., Eagle, R., Hagadorn, J.W., Shen, Y, Zhang, X., Bonifaci, M. & Tripathi, A.K. 2015. Evolution of Neoproterozoic Wonoka–Shuram Anomaly-aged carbonates: evidence from clumped isotope paleothermometry: *Precambrian Research* 264: 179–191.

Pacheco M.L.A.F., Galante D., Rodrigues F., de M., Leme J., Bidola P., Hagadorn W., Stockmar, M., Herzen, J., Rudnitzki, I.D., Pfeiffer, F. & Marques, A.C. 2015. Insights into the skeletonization, lifestyle, and affinity of the unusual Ediacaran fossil *Corumbella*: *PLoS ONE* 10 (3): e0114219.

doi:10.1371/journal.pone.0114219

Steiner, M., Qian, Y., Li, G., Hagadorn, J. W., Zhu, M., 2014, The developmental cycles of early Cambrian Olivooidea fam. Nov. (?Cycloneuralia) from the Yangtze Platform (China): *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 398, p. 97-124.

Ivy, L. D., and Hagadorn, J. W., 2013, *Geology - Exploration of Colorado's Deepest Roots: Denver Museum of Nature and Science Annals*, v. 4, p. 179-230.

Som, S. M., Hagadorn, J. W., Thelen, W. A., Gillespie, A. R., Catling, D. C., Buick, R., 2013, Quantitative discrimination between geological materials with variable density contrast by high resolution X-ray computed tomography: An example using amygdale size-distribution in ancient lava flows: *Computers & Geosciences*, v. 54, p. 231-238.

Hu, L. B., Savidge, C. S., Rizzo, D. M., Hayden, N. J., Hagadorn, J. W., Dewoolkar, M. M., 2013, Porous building materials - geomorphic pore structure and fluid transport: *Journal of Materials in Civil Engineering*, v. 25, p. 1803-1812.

Loyd, S. J., Marenco, P. J., Hagadorn, J. W., Lyons, T. W., Kaufman, A. J., Sour-Tovar, F., and Corsetti, F. A., 2012, Local $\delta^{34}\text{S}$ variability in ~580 Ma carbonates of northwestern Mexico and the Neoproterozoic marine sulfate reservoir: *Precambrian Research*, v. 224, p. 551-569.

Loyd, S. J., Marenco, P. J., Hagadorn, J. W., Lyons, T. W., Kaufman, A. J., Sour-Tovar, F., and Corsetti, F. A., 2012, Sustained low sulfate concentrations in the Neoproterozoic to Cambrian ocean: insights from carbonates of northwestern Mexico and eastern California: *Earth and Planetary Science Letters*, v. 339-340, p. 79-94.

Collette, J. H., Gass, K. C., Hagadorn, J. W., 2012, *Protichnites eremita* unshelled?: Experimental model-based neofabrication and new evidence for a euthycarcinoid affinity for the ichnospecies: *Journal of Paleontology*, v. 86, p. 442-454.

Hagadorn, J. W., and McDowell, C., 2012, Microbial influence on erosion, grain transport, and bedform genesis in sandy unidirectional flow regimes: *Sedimentology*, v. 59, p. 737-1132.

Neff, J. L., Hagadorn, J. W., Sunderlin, D., and Williams, C. J., 2011, Sedimentology, facies architecture and chemostratigraphy of a continental high-latitude Paleocene-Eocene succession—The Chickaloon Formation, Alaska: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 240, p. 14-29.

Hagadorn, J. W., Kirschvink, J. L., Raub, T. D., and Rose, E. C., 2011, Above the great unconformity: A fresh look at the Tapeats Sandstone, Arizona-Nevada, U.S.A.: *Museum of Northern Arizona Bulletin* 67, p. 63-77.

Hagadorn, J. W., Collette, J. H., and Belt, E. S., 2011, Eolian-aquatic deposits and faunas of the middle Cambrian Potsdam Group: *Palaios*, v. 26, p. 314-334

Gingras, M. K., Hagadorn, J. W., Seilacher, A., Lalonde, S., Pecoits, E., Petrash, D., and Konhauser, K.O., 2011, Possible evolution of mobile animals in association with microbial mats: *Nature Geoscience*, v. 4, p. 372-375.

- Collette, J. H., Getty, P. R., Hagadorn, J. W., 2011, Insights into an Early Jurassic dinosaur habitat: ichnofacies and enigmatic structures from the Portland Formation, Hoover Quarry, Massachusetts, U.S.A.: *Atlantic Geology*, v. 47, p. 81-98.
- Hagadorn, J. W., and Miller, R. F., 2011, Hypothesized Cambrian medusae from Saint John, New Brunswick, reinterpreted as sedimentary structures: *Atlantic Geology*, v. 47, p. 66-80.
- Collette, J. H. and Hagadorn, J. W., 2010, Three-dimensionally preserved arthropods from Cambrian Lagerstätten of Quebec and Wisconsin: *Journal of Paleontology*, v. 84, p. 646-667.
- Collette, J. H. and Hagadorn, J. W., 2010, Early evolution of phyllocarid arthropods: Phylogeny and systematics of Cambrian-Devonian archaeostracans: *Journal of Paleontology*, v. 84, p. 795- 820.
- Collette, J. H., Hagadorn, J. W., and Lacelle, M. M., 2010, Dead in their tracks: Cambrian arthropods and their traces from intertidal sandstones of Quebec and Wisconsin: *Palaios*, v. 25, p. 475-486.
- Seilacher, A., and Hagadorn, J. W., 2010, Early molluscan evolution: Evidence from the trace fossil record: *Palaios*, v. 25, p. 565-575.
- Young, G. A., and Hagadorn, J. W., 2010, The fossil record of cnidarian medusae: *Palaeoworld*, v. 19, p. 212-221.
- Farrell, U. C., Martin, M. J., Hagadorn, J. W., Whiteley, T., Briggs, D. E. G., 2009, Beyond Beecher's trilobite bed: Widespread pyritization of soft-tissues in the Late Ordovician Taconic foreland basin: *Geology*, v. 37, p. 907-910.
- Getty, P. R., and Hagadorn, J. W., 2009, Palaeobiology of the *Climactichnites* trackmaker: *Palaeontology*, v. 52, p. 753-778.
- Hagadorn, J. W., and Seilacher, A., 2009, Hermits 500 million years ago?: *Geology*, v. 37, p. 295–298.
- Getty, P. R., and Hagadorn, J. W., 2008, Reinterpretation of *Climactichnites* Logan 1860 to include subsurface burrows, and erection of *Musculopodus* for resting traces of the trackmaker: *Journal of Paleontology*, v. 82, p. 1161–1172.
- Claeson, K., and Hagadorn, J. W., 2008, The occipital region in the basal bony fish *Erpetoichthys calabaricus* (Actinopterygii: Cladistia): *Journal of Fish Biology*, v. 73, p. 1-8.
- Claeson, K. M., Lundberg, J. G., Luckenbill, K., Hagadorn, J. W., 2008, Anatomy of the very tiny: First description of the head skeleton of the rare South American catfish *Sarcoglanis simplex* (Siluriformes: Trichomycteridae): *Palaeontologia Electronica*, v. 11, p. 1-11.
- Hagadorn, J. W., and Belt, E. S., 2008, Stranded in upstate New York: Cambrian medusae from the Potsdam Sandstone: *Palaios*, v. 23, p. 424-441.
- Landing, E., Franzi, D. A., Hagadorn, J. W., Westrop, S. R., Kröger, B., Dawson, J. C., 2007, Cambrian of East Laurentia: Field workshop in eastern New York and Vermont: *New York State Museum, Bulletin* 510, p. 25-80.

Bottjer, D. J., and Hagadorn, J. W., 2007, Mat growth features: in Schieber, J., Bose, P. K., Ericksson, P. G., Banerjee, S., Sarkar, S., Altermann, W., and Catuneanu, O., eds., Atlas of microbial mat features preserved within the siliciclastic rock record: Elsevier, Amsterdam, p. 53- 71.

Dornbos, S. Q., Noffke, N., and Hagadorn, J. W., 2007, Mat-decay features: in Schieber, J., Bose, P. K., Ericksson, P. G., Banerjee, S., Sarkar, S., Altermann, W., and Catuneanu, O., eds., Atlas of microbial mat features preserved within the siliciclastic rock record: Elsevier, Amsterdam, p. 106-110.

Claeson, K. M., Hagadorn, J. W., and Bemis, W.E., 2007, New interpretations of the skull of a primitive bony fish; *Erpetoichthys calabaricus*(Actinopterygii: Cladistia). *Journal of Morphology*, v. 268, p. 1021-1039.

Xiao, S., Hagadorn, J. W., Zhou, C., and Yuan, X., 2007, Rare helical spheroidal fossils from the Doushantuo Lagerstätte: Ediacaran animal embryos come of age?: *Geology*, v. 35, p. 115–118.

Corsetti, F. A., Stewart, J. H., and Hagadorn, J.W., 2007, Neoproterozoic diamictite-cap carbonate succession and $\delta^{13}\text{C}$ chemostratigraphy from eastern Sonora, Mexico: *Chemical Geology*, v. 237, p. 129-142.

Sour-Tovar, F., Hagadorn, J. W., Huitron-Rubio, T., 2007, Ediacaran and Cambrian index fossils from Sonora, Mexico: *Palaeontology*, v. 50, p. 169-175.

Hagadorn, J. W., Xiao, S., Donoghue, P. C. J., Bengtson, S., Gostling, N. J., Pawlowska, M., Raff, E. C., Raff, R. A., Turner, F. R., Chongyu, Y., Zhou, C., Yuan, X., McFeely, M. B., Stampanoni, M., Nealson, K. H., 2006, Integrated X-ray insights into cellular and subcellular structures of Neoproterozoic animal embryos: *Science*, v. 314, p. 291-294.

Waggoner, B.M., and Hagadorn, J.W., 2005, Conical fossils from the Lower Cambrian of eastern California: *PaleoBios*, v. 25, p. 1-10.

Waggoner, B.M., and Hagadorn, J.W., 2004, An unmineralized alga from the Lower Cambrian of California: *Neues Jahrbuch fur Geologie und Palaontologie, Abhandlungen*, v. 231, p. 67-83.

Peterson, K.J., Waggoner, B.M., and Hagadorn, J.W., 2003, A fungal analog for Newfoundland Ediacaran fossils?: *Integrative and Comparative Biology*, v. 43, p. 127-136.

Corsetti, F. A., and Hagadorn, J.W., 2003, The Precambrian-Cambrian transition in the southern Great Basin, USA: *The Sedimentary Record*, p. 4-8.

Hagadorn, J.W., and Waggoner, B.M., 2002, The Early Cambrian problematic

fossil *Volborthella*: New insights from the Basin and Range, in F. A. Corsetti, ed., *Proterozoic- Cambrian of the Great Basin and Beyond*, Pacific Section SEPM Book 93, p. 135-150.

Waggoner, B.M., and Hagadorn, J.W., 2002, New fossils from terminal Neoproterozoic strata of southern Nye County, Nevada: in F. A. Corsetti, ed., *Proterozoic-Cambrian of the Great Basin and Beyond*, Pacific Section SEPM Book 93, p. 87-96.

Hagadorn, J.W., Dott, R.H., and Damrow, D., 2002, Stranded on an Upper Cambrian shoreline: Medusae from Central Wisconsin: *Geology*, v. 30, p. 147-150.

Hagadorn, J.W., 2002, Chengjiang: Early record of the Cambrian explosion, in Bottjer, D.J., et al., eds., *Exceptional Fossil Preservation: A Unique View on the Evolution of Marine Life*: Columbia University Press, New York, p. 35-60.

Hagadorn, J.W., 2002, Burgess Shale: Cambrian explosion in full bloom, in Bottjer, D.J., et al., eds., *Exceptional Fossil Preservation: A Unique View on the Evolution of Marine Life*: Columbia University Press, New York, p. 61-89.

Hagadorn, J.W., 2002, Burgess Shale-type localities: The global picture, in Bottjer, D.J., et al., eds., *Exceptional Fossil Preservation: A Unique View on the Evolution of Marine Life*: Columbia University Press, New York, p. 91-116.

Hagadorn, J.W., 2002, Bear Gulch: An exceptional Upper Carboniferous plattenkalk, in Bottjer, D.J., et al., eds., *Exceptional Fossil Preservation: A Unique View on the Evolution of Marine Life*: Columbia University Press, New York, p. 167-183.

Hagadorn, J.W., Schellenberg, S.A., and Bottjer, D.J., 2000, Paleoecology of a large Early Cambrian bioturbator: *Lethaia*, v. 33, p. 142-156.

Bottjer, D.J., Hagadorn, J.W., and Dornbos, S., 2000, The Cambrian substrate revolution: *GSA Today*, v. 10, p. 1-7.

Kirschvink, J.L., and Hagadorn, J.W., 2000, A grand unified theory of biomineralization: in Bäuerlein, E., ed., *The biomineralization of nano- and micro-structures*, Wiley-VCH Verlag GmbH, Weinheim, Germany, p. 139-149.

Hagadorn, J.W., Fedo, C.W., and Waggoner, B.M., 2000, Lower Cambrian Ediacaran fossils from the Great Basin, U.S.A.: *Journal of Paleontology*, v. 74, p. 731-740.

Corsetti, F.A., and Hagadorn, J.W., 2000, The Precambrian-Cambrian Transition: Death Valley, USA: *Geology*, v. 28, p. 299-302.

Chen, J.Y., Oliveri, P., Li, C., Zhou, G., Gao, F., Hagadorn, J.W., Peterson, K.J., and Davidson, E., 2000, Precambrian animal diversity: Putative phosphatized embryos from the Doushantuo Formation of China: *Proceedings of the National Academy of Sciences*, v. 97, p. 4457-4462.

Hagadorn, J.W., and Waggoner, B.M., 2000, Ediacaran fossils from the southwestern United States: *Journal of Paleontology*, v. 74, p. 349-359.

Hagadorn, J.W., and Bottjer, D.J., 1999, Restriction of a Characteristic Late Neoproterozoic Biotope: Suspect-Microbial Structures and Trace Fossils at the Vendian-Cambrian Transition: *Palaios*, v. 14, p. 73-85.

Hagadorn, J.W., and Bottjer, D.J., 1997, Wrinkle structures: Microbially mediated sedimentary structures common in subtidal siliciclastic settings at the Proterozoic-Phanerozoic transition: *Geology*, v. 25, p. 1047-1050.

Hagadorn, J.W., and Boyajian, G.E., 1997, Subtle changes in mature predator-prey systems: An example from Neogene *Turritella* (Gastropoda), *Palaios*, v. 12, p. 372-379.

Hagadorn, J.W., 1996, Laminated sediments of Santa Monica Basin, California Continental Borderland: in Kemp, A.E.S., ed., *Palaeoclimatology and Palaeoceanography from Laminated Sediments*, Geological Society Special Publication No. 116, p. 111-120.

Hagadorn, J.W., Stott, L.D., Sinha, A., and Rincon, M., 1995, Geochemical and sedimentologic variations in inter-annually laminated sediments from Santa Monica Basin: *Marine Geology*, v. 125, p. 111-131.

[Download PDF](#)

Hagadorn, J.W., Flocks, J.G., Stott, L.D., and Gorsline, D.S., 1993, Micro-sampling of sediment cores: A simple method to obtain high resolution historical sedimentary records: *Journal of Sedimentary Petrology*, v. 63, p. 755-758.